


TE FD COM BOLSAS JE2GS NBR 7675 / 13747



Dimensões e Massas						
DN	dn	Dimensões				Massas JGS
		Corpo		Derivação		
		L	e1	H	e2	
		mm	mm	mm	mm	kg
80	80	170	7,0	85	7,0	14,0
100	80	170	7,2	95	7,0	17,1
	100	190	7,2	95	7,2	18,4
150	80	170	7,8	120	7,0	22,9
	100	195	7,8	120	7,2	25,0
	150	285	7,8	125	7,8	29,7
200	80	175	8,4	145	7,0	32,3
	100	200	8,4	145	7,2	32,8
	150	255	8,4	150	7,8	38,9
	200	315	8,4	155	8,4	45,5
250	80	180	9,0	170	7,0	39,0
	100	200	9,0	170	7,2	39,5
	200	315	9,00	185	9,0	45,0
	250	375	9,0	190	9,0	58,9
300	80	180	9,6	195	7,0	50,0
	100	205	9,6	195	7,2	54,7
	150	260	9,6	200	7,8	57,5

	200	320	9,6	205	8,4	67,6
	250	375	9,6	210	9,0	77,6
	300	435	9,6	220	9,6	83,0
350	100	205	10,2	220	7,2	65,0
	200	328	10,2	235	8,4	76,2
	250	360	10,2	250	9,0	77,0
	350	495	10,2	250	10,2	105,0
400	80	185	10,8	245	7,0	74,5
	100	210	10,8	245	7,2	73,9
	200	325	10,8	260	8,4	92,2
	300	440	10,8	270	9,6	114,6
	400	560	10,8	280	10,8	132,9
500	80	190	12,0	295	7,0	103,0
	100	215	12,0	295	7,2	103,0
	200	330	12,0	310	8,4	118,1
	300	450	12,0	320	9,6	157,4
	500	680	12,0	340	12,0	198,0
600	100	220	13,2	345	7,2	140,0
	200	340	13,2	360	8,4	168,0
	300	455	13,2	370,0	9,6	197,0
	400	570	13,2	380	10,8	225,0
	600	800	13,2	400	13,2	287,0

Revestimento: Internamente e externamente, pintura betuminosa.